



BIHAR STATE POWER (HOLDING) COMPANY LTD., PATNA

(A Govt of Bihar Undertaking)

(Regd. office: Vidyut Bhawan, Bailey Road, Patna)

Contact No : 0612-2504487,7763813835

GST No.-10AAFCB2394A2ZD, CIN No.-U40102BR2012SGC018495

email-cecivilbbspchlpatna@gmail.com

(Department of civil Engineering)

Details of Quotation

(NIQ No.16/PR/BSPHCL/2018, Gr-01)

Supply and installation of Furnitures for the office of BREDA at 2nd floor (West Wing) of Vidyut Bhawan - II, Patna.

List of items

List of items						
MD office & conference Hall						
Sl. no.	Item Description	Qty	Unit	Unit Price in figure	Unit price in words	Amount
1	Supply and installation of signature table size:- 2100x975x750mm, side return RHS:- 1400x550x750mm. The structure made of MFC panels which are edge banded, the construction should be combination with all vertical panels which are load bearing should be in 25mm, modesty panel made 18mm thickness and drawers should pbe in 25mm thick with facia of the darwer made in 18mm thick and all internal surface of the drawer should be in black color, the handles used should be solid aluminium and also the table should be mounted on aluminium die cast arms which will connect the under structure of the table to the top should be made of 25mm thick MFC and on the top MFC an 8mm thick laminated glass with all edge finished should be placed and the edges of the same should be secured with metal strips on the short side of the glass. Or equivalent.	1	Nos.			
2	Supply and installation of conference table size;- 4800x1200x750mm, SIDE TABLE- TABLE TOP- Made out of 25mm thick Pre laminated particle board with 2mm edge banding, GABLE END- Made out of 25mm thick both side pre laminated particle board (BSL) MODESTY PANEL- Made out of 18mm thick pre laminated particle board wire management- ABS flip up 450mm without switch & socket, wire clips & vertical wire entry cover. Or equivalent.	1	Nos.			
3	Supply and installation of High back mesh chair with adjustable headrest, multilock mechanism, seat slide mechanism, adjustable lumber support, adjustable arm rest and aluminium base. Or equivalent.	2	Nos.			
4	Supply and installation of contact medium back chair with single point lock, synchronized thlting mechanism, gaslift for height adjustability, fixed arms and nylon 5 prong base and twin wheel castors. Or equivalent.	16	Nos.			
5	Supply and installation of contact visitors chair Mesh back Sledge base Fixed Arms	30	Nos.			
Office & Cabin						
6	Supply & installation of Desk System of as per the following specs; Table Size 2200X975X750 Table top made with table top of 18 MM MFC confirming to E 1 Grade for emission Norms and also to IS 12823-1990 With 45mm edge MDF profile in black color.table top is edge banded using 2 mm PVC Edge bandings, Gable ends & modesty made of gamma 18 MM MFC confirming to E 1 Grade for emission Norms and also to IS 12823-1990 ,Table top is supported by 25mm thick MDF gable ends and fitted with levelers for height adjustment for max of 40 mm; TABEL TOP – Made out of 25mm thick Pre laminate Particle board; Worktop : 18mm thick, Particle Board with 50mm MDF Edge Profile; GABLE END & MODESTY: 18mm particle board & 50mm MDF board black finish Supply & installation of Pedestal of Gamma Made of 18 mm thick MFC Confirming to IS12823-1990,accessories shelves made of 18 MM thick PLB with a back panel of slide on design of minimum 9 mm thick. Supply & installation of Credenza of size 1360W x 450D x 640H of Gamma Made of 18 mm thick MFC ,accessories shelves made of 18 MM thick PLB with a back panel of slide on design of minimum 9 mm thick. The credenza to have two cupboards with a 3 drawers. Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified.	1	Nos			

7	Supply and installation of side table size made with table top of 25 MM MFC confirming to E 1 Grade for emission Norms and also to IS 12823-1990 With 2 mm Edge banding on all exposed sides by using Hot Melt Glue with all edges finished with buffing, top surface should be protected with Stretch wrap which should not leave any glue mark on removal all gable ends & modesty of verasaline made of 18 MM MFC confirming to E 1 Grade for emission Norms and also to IS 12823-1990 With 2 mm Edge banding on all exposed sides by using Hot Melt Glue with all edges finished with buffing, and the table is knock down construction with all KD fittings of hettich joinery and fitted with levelers for height adjustment for min of 40 mm with drawer. MAIN TABLE - 900X600X750 mm with 2 hanging drawers; Versaline Table. Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified.	2	nos			
8	Supply and installation of Main table size made with table top of 25 MM MFC confirming to E 1 Grade for emission Norms and also to IS 12823-1990 With 2 mm Edge banding on all exposed sides by using Hot Melt Glue with all edges finished with buffing, top surface should be protected with Stretch wrap which should not leave any glue mark on removal all gable ends & modesty of verasaline made of 18 MM MFC confirming to E 1 Grade for emission Norms and also to IS 12823-1990 With 2 mm Edge banding on all exposed sides by using Hot Melt Glue with all edges finished with buffing, and the table is knock down construction with all KD fittings of hettich joinery and fitted with levelers for height adjustment for min of 40 mm with drawer. MAIN TABLE - 1350X750X750 mm with 2 hanging drawers; Versaline Table. Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified.	12	nos			
9	Supply and Fixing ' Chair Back (H x W) 780*510 Seat (W & D) 500*541 Seat (W Arm to Arm) 640 Seat Height from Floor 470 Overall Height 1150 Knee tilt Multilock Mechanism seat to back recline ratio of 3:7. The 4 position lock and maximum tilt angle of 17 degrees. Back rest " Return Prevention" function and its seat angle is 2-2 Deg and Bent angle is 82-106 Deg. Ergon Aluminum - Multi point lock, Synchronized tilting Mechanism , Gaslift for height adjustability , 3 way Adjustable Arms, Adjustable lumbar support, with Nylon Base. Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified. ERGON AL.	01	Nos.			
10	Supply and Fixing high back chair with Adjustable Arms of seat size 585X660X450H & overall Hot of 1050 adjustable for 100 MM +/- the, the back of the chair is adjustable for 60 mm allowing user to define the lumbar support in accordance with the user requirement mounted on Mechanism with; the foam used is of 50+/-5 D molded with hardness of 2.5 KGF@25% compression and covered with fabric upholstery comfort with elegant stitching , The base is fitted with high performance castors made of Nylon and Heavy duty base which can take load up to 1100 Kgs. Click HM Back Chair with Single point lock, Synchronized tilting Mechanism , Gaslift for height adjustability , Fixed arms and Nylon 5 Prong Base and Twin Wheel castors. Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified.	12	Nos.			
11	Supply and Fixing sledge Base Chair Back (H x W) 570*480 Seat (W & D) 490*460 Seat (W Arm to Arm) 580 Seat Hgt from Floor 480 "Overall Hgt 900" The frame is made out of 25.4mm tube of 16 gauge tube, Thermo set powder coating epoxy polyester hybrids of harness (pencil) H.B.74 and impact resistant (in lab) 60-160 Kgs cm and to a thickness of 40-50 microns is carried out of 7 step pretreatment process. Seat is made out of 12mm molded hot pressed plywood in ergonomic shape,PU Arms has a density of 350 to 450 gm/ltr. product Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified. Contact Sledge Base.	27	Nos.			
Linear Work Station						
12	Supply and Fixing LINEAR WORKSTATION manufacture out of ISO 140001, 180001, 9001 and BIFMA platinum certified factory with 3 drawer mobile pedestal, key board tary and CPU trolley Manufacture, supply and Fixing of NEO 70 size 1200W X 600D X 1200HT of the thickness of the partition should be 70 mm measuring mm with height of 1200 mm +/- 10 mm made of CRCA metal skeleton made on CNC machine; made of standard frame in combination of 1.2 mm thick and 1.5 mm thick CRCA with 6 bend profile and assembled with Table top made of 25mm Pre laminated Board confirming to IS 12823-1990 With 2 mm Edge banding , and Magnetic Fabric tile configuration and should be covered with curved Aluminium profiles confirming to IS – 733. The system should have raceway on Below table top of 120 mm width with provision for mounting switches on the steel surface and also skirting at the bottom level of height 120 mm , both the skirting and raceway should have hook on system for ease	1	Nos.			

	of maintenance. Above table top the frame is covered with laminate tile of 6 mm thick PLB and one 8 mm toughened writing glass (white colour) for use of the user; the back side will be PLB covered above with PLB the table top supported with brackets 2.00 mm thick CRCA steel brackets and the table is vertically supported The PLB Gable end supports are offered in both in 25 mm PLT (laminated in the same finish both sides).; The connectors to the frames are made out of ABS plastic of a matching colour to the trims confirming to ASM standards. The production facility is BIFMA Platinum, ISO 14001, 18001 and 10501 certified. Keeping in view the inputs to the system Neo70, the customer can benefit with GREEN points. Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified for 27 nos. Person					
13	Supply and Fixing Chair with Back (H x W) 560*450 Seat (W & D) 490*460 Seat (W Arm to Arm) 630 Seat Height from Floor 460 "Overall Height 920". Gas lifts are tested stringently as per ANSI/ BIFMA X5.1-2011 General Purpose Office Chair Standards for swivelling. Seat and Back are made out of 12 mm hot pressed plywood in ergonomic shape, the product Manufactured out of ISO 9001, ISO14001 and OSHSAS 18001 certified Plant and product certified for BIFMA performance test Medium Back Chair with Single point lock, Permanent Contact Mechanism, Gaslift for height adjustability, Fixed Arms and Nylon 5 Prong Base and Twin Wheel castors. Advantage Medium Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified.	29	Nos.			
Storage, Cafeteria & Lobby						
14	Supply and fixing of Pearl 3 seater sofa Size: L 1200 mm x H 700 mm x D 725 mm Base: Stainless steel frame. SEAT: Made of timber frame inside and the rubber string .35 density cushion at seat. Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified.	1	Pcs.			
15	Storage 1000X450X1200 Storage: The storage is made of 18mm PLB with 18mm thick top, quipped with central locking, shutters with auto closing hinges and brush steel handles. Supply & Installation of Storage Unit made of 18 mm thick MFC Confirming to IS12823-1990 with all exposed edges sealed with Edge Banding using hot Melt glue and the assembly should be made using High Quality hardware like nickel plated crank hinges from Ebco / hettich , minifix , pins , inserts and accessories shelves made of 18 MM thick PLB with a back panel of slide on design of minimum 9 mm thick . Non Projection Aluminium handle and MP Lock of zinc Alloy. Matching with NEO 70.	22	Nos.			
16	Supply and installation of Reception table size made with table top of 25 MM MFC confirming to E 1 Grade for emission Norms and also to IS 12823-1990 With 2 mm Edge banding on all exposed sides by using Hot Melt Glue with all edges finished with buffing, top surface should be protected with Stretch wrap which should not leave any glue mark on removal all gable ends & modesty of verasaline made of 18 MM MFC confirming to E 1 Grade for emission Norms and also to IS 12823-1990 With 2 mm Edge banding on all exposed sides by using Hot Melt Glue with all edges finished with buffing, and the table is knock down construction with all KD fittings of hettich joinery and fitted with levelers for height adjustment for min of 40 mm with drawer. MAIN TABLE -1500X900X750 mm with 2 hanging drawers; Versa line Table. Manufactured out of ISO 9001, ISO14001, OSHSAS 18001 and BIFMA Platinum Plant certified.	1	Nos.			
17	Cafeteria Table- Size: 1200LX800DX750HT 25mm thick. ISOTOP Table . Table Supported with MS powder coated Leg	2	Nos.			
18	Cafeteria Chair - Chair Size (L) 535mm X (D) 555mm X (H) 750mm. Multi-purpose fixed chair, Metal frame Zane our colorful multipurpose chair. A refreshing new Modern design, Zane is the coolest chair out there with its ribbed uni body base that stands on a vaulted platform supported by slender metal legs. Available in a bright medley of colors Zane is truly awesome with its stacking function and ease of use Bring home the entire set of colors or pick from your favorite, we assure you the Zane never disappoints.	8	Nos.			
Total						
In Words:-						