



**BIHAR STATE POWER (HOLDING) COMPANY LTD., PATNA**

(A Govt of Bihar Undertaking)

(Regd. office: Vidyt Bhawan, Bailey Road, Patna)

Contact No : 0612-2504487,7763813835

GST No.-10AAFCB2394A2ZD, CIN No.-U40102BR2012SGC018495

[email-cecivilbosphclpatna@gmail.com](mailto:email-cecivilbosphclpatna@gmail.com)

(Department of civil Engineering)

**Annexure**

**Details of Quotation**

(NIQ No.16/PR/BSPHCL/2018, Gr-02)

**Name of Work:- Supply and installation of Furnitures for the office of DISCOM at 5th floor (South Wing) of Vidyt Bhawan-II, Patna**

**List of items**

**Part-A**

Sl no.	Item Description	Qty	Unit	Unit Price in figure	Unit price in words	Amount
1	Godrej or equivalent Impress Main Desk MAIN TOP- MDF + VENEER + PU Coating, Size :1800 W * 900 D * 750 H TOP THICKNESS – 65 mm, MODESTY- Size : 1640 X 600 X16 MM , MDF+ Veneer + PU Coating, MOBILE PEDESTAL- MDF + Veneer + PU Coating , Size :510W * 635H * 445D mm, ERU TOP- MDF + VENEER + PU Coating, Size :1200 W x 445 D x 660 H TOP THICKNESS – 25 mm	2	nos			
2	Godrej or equivalent Marvel High Back Chair - Chair Size- 76.1CM Width, 76.1CM Depth, 112.7-130.2CM Height.The Cushioned seat is made of injection molded plastic outer and inner. Plastic inner is upholstered with leatherite and moulded high resilience polyurethane foam.The armrest top is moulded from polyurethane upholstered in leatherite and mounted onto a drop lift adjustable type tubular armrest support.The chair is 360 degree revolving type, 5 position tilt timer giving option of variable tilt angle to the chair. The pneumatic height	2	nos			
3	Godrej or equivalent Kareena Visitor Chair SEAT/BACK ASSEMBLY: The seat is made up of 1.2 cm. thick hot pressed plywood upholstered with fabric and moulded Polyurethane Foam. The back is made up 1.2 cm. thick hot pressed plywood upholstered with replaceable fabric upholstery covers and moulded polyurethane foam. The back ply and foam is designed with contoured lumber support for comfortable seating posture. MID BACK SIZE 48.0cm.(W) X 64.5cm.(H), SEAT SIZE 51.0cm.(W) X 48.0cm.(D). POLYURETHANE FOAM: The polyurethane foam for seat and back is moulded with density = 45±2 kg/m <sup>3</sup> and Hardness = 20±2, ARMRESTS: The armrest top is made of moulded polyurethane (P.U).	4	nos			
4	Godrej or equivalent Micro Plus Two Seater Sofa Micro 2 seater Sofa of size 1270Wx 770D x780H MADE UP OF BLACK SHADE PVC UPHOLSTERY, Slab stock foam with recron filler spring webbing, MADE UP OF BLACK SHADE PVCUPHOLSTERY, Slab stock foam with recron filler spring webbing	4	nos			
5	Godrej or equivalent Glaze center Table 1100W x 600D x 500H made up of 8 mm tempered glass Top, 6 mm tempered bottom glass for storage option, Silver powder coated understructure, Glass glass attached to the understructure via UV disc	2	nos			
6	Godrej or equivalent Glaze Corner Table 600W x 600D x 450H made up of 8 mm tempered glass Top, 6 mm tempered bottom glass for storage option, Silver powder coated understructure, Glass glass attached to the understructure via UV disc	2	nos			
7	Godrej or equivalent Table Model Finnesse 5026+ERU 3616+01 No. 3 Drawers Pedestal Table of size 1500 x 750 x 740 ,Top & Side Panel made of top of 25 mm thick plain particle board clad with 0.6mm thick post formed Laminate and 1 mm Thick Backing	2	nos			

	Laminate Flat Edge duly sealed with 2 mm thick PVC beading Modesty panel of 18mm thick plain particle Board clad with 1.0 mm thk DL on both sides, Edge with 2 mm thl PVC beading, ERU of size 1050 x 520 x 705 & Three Drawers Pedestal					
8	Godrej or equivalent Bravo High Back Chair The seat and back are made up of 1.2 cm. thick hot-pressed plywood, upholstered with fabric upholstery covers and moulded Polyurethane foam. The back foam is designed with contoured lumbar support for extra comfort. The seat has extra thick foam on front edge to give comfort to popliteal area. Dimension BACK SIZE -47.5 cm (W) x 69.5 cm (H) & SEAT SIZE 47.0 cm. (W) x 48.0 cm. (D). POLYURETHANE FOAM: The Polyurethane foam is moulded with density = 45 +/-2 kg/m3 and Hardness = 20 +/- 2 at 25% compression. 3) ARMRESTS: The one-piece armrests are injection moulded from black Co-polymer Polypropylene. 4) CENTER TILT SYNCHRO MECHANISM . PNEUMATIC HEIGHT ADJUSTMENT -The pneumatic height adjustment has an adjustment stroke of 12.0 cm.	2	nos			
9	Godrej or equivalent Bravo Visitor Chair The seat and back are made up of 1.2 cm. thick hot-pressed plywood, upholstered with fabric upholstery covers and moulded Polyurethane foam. The back foam is designed with contoured lumbar support for extra comfort. The seat has extra thick foam on front edge to give comfort to popliteal area. Dimension BACK SIZE - 47.5 cm. (W) x 58.0cm. (H) & SEAT SIZE 47.0 cm. (W) x 48.0 cm. (D). POLYURETHANE FOAM: The Polyurethane foam is moulded with density = 45 +/-2 kg/m3 and Hardness = 20 +/- 2 at 25% compression. 3) ARMRESTS: The one-piece armrests are injection moulded from black Co-polymer Polypropylene.The powder coated tubular frame is cantilever type & made of dia 25.4mm x 2mm thk M.S. ER.W. Tube.	4	nos			
10	Godre or equivalent j Parto Two Seater Sofa Dimension of 2 Seater 1340W x 870D x730H made of PVC Upholstery, Frame Material : Tropical Solid Wood joined by means of hardened steel screws and steel bolts, as well as glue, Seat Foam : Slab stock foam along with recron sheet. Foam Density : 17 kg/ cubic cm, Back Foam : Slab stock foam with recron fill. Foam Density : 17 kg/cubic cm, Webbing : S-spring with cross membrane	2	nos			
11	Godrej or equivalent Glaze Corner Table 600W x 600D x 450H made up of 8 mm tempered glass Top, 6 mm tempered bottom glass for storage option, Silver powder coated understructure, Glass glass attached to the understructure via UV disc	2	nos			
12	Godrej or equivalent storage Unit, VSDU-2 Sliding door unit frame type constructed for rigidity with top having sliding door plastic roller with ball bearing 01 adjustable shelves fitted with lock made of spray phosphated before painting overall dimension 735 X 900 X 450 with one shelves	2	nos			
13	Godrej or equivalent Table Model Mayfair 1200+ERU 900+Mobile Pedestal Table made of 25mm thick PLB with PVC lipping Top of size 1200 x 600 x 750 & side panels & modesty panel made of 18mm thick PLB with PVC lipping. One free standing Mobile pedestal of size 390 x 435 x 529 having one box & one filling drawer made of 18mm thick PLB fronts & top. Side Unit of size 900 x 600 x 750 with top made of 25mm thick PLB with PVC lipping & side panels & Modesty Panels made of 18mm thick PLB with PVC lipping.	4	nos			
14	Godrej Mayfair or equivalent Back Unit 750 x 425 x 750 made of 25mm thick PLB with PVC lipping	4	nos			
15	Godrej or equivalent Bravo Mid Back Chair The seat and back are made up of 1.2 cm. thick hot-pressed plywood, upholstered with fabric upholstery covers and moulded Polyurethane foam. The back foam is designed with contoured lumbar support for extra comfort. The seat has extra thick foam on front edge to give comfort to popliteal area. Dimension BACK SIZE - 47.5 cm. (W) x 58.0cm. (H) & SEAT SIZE 47.0 cm. (W) x 48.0 cm. (D). POLYURETHANE FOAM: The Polyurethane foam is moulded with density = 45 +/-2 kg/m3 and Hardness = 20 +/- 2 at 25% compression. 3) ARMRESTS: The one-piece armrests are injection moulded from black Co-polymer Polypropylene. 4) CENTER TILT SYNCHRO MECHANISM . PNEUMATIC HEIGHT ADJUSTMENT -The pneumatic height adjustment has an adjustment stroke of 12.0 cm.	4	nos.			
16	Godrej or equivalent Bravo Visitor Chair The seat and back are	4	nos			

	made up of 1.2 cm. thick hot-pressed plywood, upholstered with fabric upholstery covers and moulded Polyurethane foam. The back foam is designed with contoured lumbar support for extra comfort. The seat has extra thick foam on front edge to give comfort to popliteal area. Dimension BACK SIZE - 47.5 cm. (W) x 58.0cm. (H) & SEAT SIZE 47.0 cm. (W) x 48.0 cm. (D). POLYURETHANE FOAM: The Polyurethane foam is moulded with density = 45 +/-2 kg/m <sup>3</sup> and Hardness = 20 +/- 2 at 25% compression. 3) ARMRESTS: The one-piece armrests are injection moulded from black Co-polymer Polypropylene. The powder coated tubular frame is cantilever type & made of dia 25.4mm x 2mm thk M.S. ER.W. Tube				
17	Godrej or equivalent Open Plan Office System Model Spacio for 56 Persons with Partition Height of 1200mm, Recta Work surface of size 1200x600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley PANEL THICKNESS - 56 MM, HT. - 1200 MM( APPROX), TILE CONFIGURATION FOR ALL PANELS :- ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES : 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE : IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK. - 25MM	1	nos		
18	Godrej or equivalent Chair Model PCH-7032 SEAT/BACK ASSEMBLY: The seat and back are made up of 1.2 cm thick hot pressed plywood, upholstered with fabric and moulded Polyurethane foam with PVC lipping all around. The backfoam is designed with contoured lumbar support for extra comfort. (MID BACK) SIZE: 40.0cm. (W) X 45.0cm. (H), SEAT SIZE: 43.0cm. (W) X 39.0cm. (D), HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam is moulded with density =45+/-2 kg/m <sup>3</sup> and hardness load 16+/- 2 kgf as per IS:7888 for 25% compression. ARMRESTS: The one piece armrests are injection moulded from black Co-polymer Polypropylene. The armrests are fitted to the seat with armrest connecting brackets made of 0.5cm. thk. HR steel.	56	nos		
19	Godrej or equivalent Full Height Partition with door Wall full height Providing and fixing of 75 mm thk. Partially glazed Modular Full ht. system with framework, extrusions & trims made out of Aluminum Sections made from Aluminum alloy 63400-WP and are powder coated with Epoxy Polyester or Anodized. The maximum Vertical extrusions at 1200 mm c/c. The frame work is covered with the outer skin of Prelaminated tile on either side of the structure. Prelaminated tile should be made out of 9 mm thk. PLT board with 0.5 mm PVC lipping upto the ht as specified in design and rest in 5mm thick clear Toughened. The maximum size of one single panel should be e 1200 x 2400.	591.80	sft		
20	Godrej or equivalent Half Height Partition STALLION+ TOP-FABRIC MAGNETIC AND BELOW METAL 70MMthickness	1237	sft		
<b>Total Amount in Rs. (In Fig.)</b>					
<b>Total Amount in Rs. (In Words):-</b>					